QCIG REFRESHERS 3MG

Page: 1

Compilation date: 23/01/2018

Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: QCIG REFRESHERS 3MG

Product code: 00001-17-00165

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: E-Liquid for Vaping.

1.3. Details of the supplier of the safety data sheet

Company name: Adact Medical

The Old Rectory High Street

Wroot DN9 2BU

United Kingdom **Tel:** 01302 986083

Email: Trish@adactmedical.com

1.4. Emergency telephone number

Emergency tel: 07904167774

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: STOT SE 3: H335; Acute Tox. 4: H302+312; Aquatic Chronic 3: H412; Eye Irrit. 2: H319;

Skin Irrit. 2: H315; Skin Sens. 1: H317; -: EUH208; STOT SE 3: H336

Most important adverse effects: Contains eugenol, neryl acetate. May produce an allergic reaction. Harmful if swallowed

or in contact with skin. Causes skin irritation. May cause an allergic skin reaction.

Causes serious eye irritation. May cause respiratory irritation. May cause drowsiness or

dizziness. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Label elements:

Hazard statements: EUH208: Contains eugenol, neryl acetate. May produce an allergic reaction.

H302+312: Harmful if swallowed or in contact with skin.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

H335: May cause respiratory irritation.

QCIG REFRESHERS 3MG

Page: 2

H336: May cause drowsiness or dizziness.

H412: Harmful to aquatic life with long lasting effects.

Hazard pictograms: GHS07: Exclamation mark



Signal words: Warning

Precautionary statements: P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+312: IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P302+352: IF ON SKIN: Wash with plenty of water/soap and water.

P304+340: IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P361+364: Take off immediately all contaminated clothing and wash it before reuse.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

GLYCEROL

| EINECS | CAS | PBT / WEL | CLP Classification | Percent |
|-------------|----------------|--|---|---------|
| 200-289-5 | 56-81-5 | - | Skin Irrit. 2: H315; Eye Irrit. 2: H319; STOT SE 3: H335; STOT SE 3: H336 | 50-70% |
| PROPYLENE G | SLYCOL - REACH | registered number(s): 01-2119456809-2 | 3 | |
| 200-338-0 | 57-55-6 | - | Acute Tox. 4: H332; Skin Irrit. 2: H315; Eye Irrit. 2: H319; Skin Sens. 1: H317; STOT SE 3: H335; STOT SE 3: H336 | 30-50% |
| ETHANOL | | | | |
| 200-578-6 | 64-17-5 | Substance with a Community workplace exposure limit. | Flam. Liq. 2: H225 | 1-10% |
| DIPENTENE | | | | • |
| 205-341-0 | 138-86-3 | - | Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410 | 1-10% |

QCIG REFRESHERS 3MG

Page: 3

NICOTINE (ISO)

| 200-193-3 | 54-11-5 | - | Acute Tox. 1: H310; Acute Tox. 3: H301; Aquatic Chronic 2: H411 | <1% |
|------------|----------|---|---|-----|
| EUGENOL | | | | |
| 202-589-1 | 97-53-0 | - | Acute Tox. 4: H302; Skin Irrit. 2: H315; Eye Irrit. 2: H319; Skin Sens. 1: H317; STOT SE 3: H335; STOT SE 3: H336 | <1% |
| NERYL ACET | ATE | | | |
| 205-459-2 | 141-12-8 | - | Skin Irrit. 2: H315; Eye Irrit. 2: H319; Skin Sens. 1: H317 | <1% |

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash

immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a

doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may

cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

QCIG REFRESHERS 3MG

Page: 4

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. If outside do not approach from

downwind. If outside keep bystanders upwind and away from danger point. Mark out the

contaminated area with signs and prevent access to unauthorised personnel. Turn

leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Do not handle in a confined space. Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

Workplace exposure limits: Respirable dust

| State | 8 hour TWA | 15 min. STEL | 8 hour TWA | 15 min. STEL |
|-------|------------|--------------|------------|--------------|
| UK | 1920 mg/m3 | - | - | - |

NICOTINE (ISO)

ETHANOL

| UK | 0.5 mg/m3 | 1.5 mg/m3 | - | - |
|----|-----------|-----------|---|---|
|----|-----------|-----------|---|---|

DNEL/PNEC Values

QCIG REFRESHERS 3MG

Page: 5

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Wear appropriate protective gloves to prevent skin exposure, as defined in EU Directive

89/686/EEC and the standard EN 374 derived from it. Gloves (Chemical and Liquid

Resistant)

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Colourless

Odour: Pleasant

Evaporation rate: Negligible

Oxidising: Not applicable.

Solubility in water: Slightly soluble

Also soluble in: Most organic solvents.

Viscosity: Viscous

Boiling point/range°C: Not applicable. Melting point/range°C: Not applicable.

Flammability limits %: lower: Not applicable. upper: Not applicable.

Flash point°C: Not applicable. Part.coeff. n-octanol/water: Not applicable.

Autoflammability°C: Not applicable. Vapour pressure: Not applicable.

Relative density: Not applicable. pH: Not applicable.

VOC g/I: Not applicable.

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

QCIG REFRESHERS 3MG

Page: 6

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

PROPYLENE GLYCOL

| IVN | RAT | LD50 | 6423 | mg/kg |
|-----|-----|------|------|-------|
| ORL | MUS | LD50 | 22 | gm/kg |
| ORL | RAT | LD50 | 20 | gm/kg |

ETHANOL

| IVN | RAT | LD50 | 1440 | mg/kg |
|-----|-----|------|------|-------|
| ORL | MUS | LD50 | 3450 | mg/kg |
| ORL | RAT | LD50 | 7060 | mg/kg |

DIPENTENE

| IVN | MUS | LD50 | 1010 | μl/kg |
|-----|-----|------|------|-------|
| ORL | MUS | LD50 | 5550 | μl/kg |
| ORL | RAT | LD50 | 5300 | mg/kg |

NICOTINE (ISO)

| ORL | MUS | LD50 | 260 | μg/kg |
|-----|-----|------|-----|-------|
| ORL | RAT | LD50 | 50 | mg/kg |
| SKN | RAT | LD50 | 140 | mg/kg |

Relevant hazards for product:

| Hazard | Route | Basis | |
|-------------------------------|---------|-----------------------|--|
| Acute toxicity (ac. tox. 4) | DRM ING | Hazardous: calculated | |
| Skin corrosion/irritation | DRM | Hazardous: calculated | |
| Serious eye damage/irritation | OPT | Hazardous: calculated | |

QCIG REFRESHERS 3MG

Page: 7

| Respiratory/skin sensitisation | DRM | Hazardous: calculated |
|--------------------------------|-----|-----------------------|
| STOT-single exposure | INH | Hazardous: calculated |

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may

cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: UN3144

QCIG REFRESHERS 3MG

Page: 8

14.2. UN proper shipping name

Shipping name: NICOTINE PREPARATION, LIQUID, N.O.S.

14.3. Transport hazard class(es)

Transport class: 6.1

14.4. Packing group

Packing group: III

14.5. Environmental hazards

Environmentally hazardous: No Marine pollutant: No

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: E
Transport category: 2

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

2015/830.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: EUH208: Contains <name of sensitising substance>. May produce an allergic reaction.

H225: Highly flammable liquid and vapour.

H226: Flammable liquid and vapour.

H301: Toxic if swallowed.

H302: Harmful if swallowed.

H302+312: Harmful if swallowed or in contact with skin.

H310: Fatal in contact with skin.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

H332: Harmful if inhaled.

H335: May cause respiratory irritation.

QCIG REFRESHERS 3MG

Page: 9

H336: May cause drowsiness or dizziness.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

H411: Toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.